

Cumulative Index 1989

Volume 33

<i>January</i>	GERIATRIC DENTISTRY, pages 1-131
<i>April</i>	ESTHETIC DENTISTRY, pages 133-341
<i>July</i>	PROVISIONAL RESTORATIONS, pages 343-535
<i>October</i>	OSSEOINTEGRATION, pages 537-909

Note: Page numbers of article titles are in **boldface** type.

- Abrasion prevention, 84
- Abrasion resistance of porcelain laminates, 304
- Abrasives, prophylactic, 328
- Absorption, drugs, 60-61
- Abutment heads, for Integral implant, 795
- Abutment screws, bent, 857, 860, 861 fractured, 57
- Abutments, cemented, for fixed prosthetics, 800-801, 875-876
 - indications for, 873
 - gingival obscuration of, 468
 - for Integral implant, cemented fixed, 800-801
 - preangled 15°, 801-802
 - removable, 795-800
 - length in edentulous patient, 169
 - mushroomed, 662
 - nonfluted, 797-800
 - preparations of, 367
 - thread-in, for fixed prosthetics, 875-876
 - for fixed/detachable prosthetics and overdentures, 876-877
 - indications for, 873
 - wrought clasp arm placement and, 380
- See also *Osseointegrated implants*.
- Accident, motor vehicle, 241, 245
- Acrylic resin, anterior fixed splint, 388
 - autopolymerized, 358, 359-364, 417, 419
 - color of, soft wax and, 361
 - heat-cured provisional crowns, 389
 - retention beads, 365, 367, 371
 - in treatment complete dentures, 417, 419
- Acrylic tray construction, for stent, 499-500
- Acrylic veneering, 169
- Active therapy evaluation, 263
- Adaptation, 17
- Adaptol, 437, 438
- Adhesion of restorative materials, 288
- Adolescent patients, 172-177
- Adrenal insufficiency, signs, 55
- Age and smile line, 161-162
- Aging, 345
 - historical perspective, 19-20
 - normal, 67-68
 - premature, 20
 - as programmed change, theory of, 20-21
 - programmed versus random process, 19-22
- Alcohol, association with oral cancer, 39, 88
 - follic acid deficiency and, 118
- Aldomet (methyldopa) allergy, 70-71
- Allergy, history of, 52
 - oral manifestations, 70-72
- Almore bleaching unit, 330
- Aloplastic grafts, 834, 837-841
- Altered passive eruption, 237-241
- Alveolar ridges, atrophic, 504
- Alzheimer's disease, 52
- Ameloblastoma, removal of, 401, 402
- Anemia, 55, 56, 45
- Anesthesia in bleaching, 325, 328
- Anesthetics, reactions, 52
- Anterior esthetics, 235-241, 494
 - acceptable view, 163
 - composition and arrangement, 159

- Anterior esthetics (*Continued*)
 gender recognition, 159-161
 incisal length, 161-164
 lower lip harmony, 158-159
 maxillary, 255-275
 objectives, 157-159
 osseointegrated implants and, 829, 831
 papillary retention, 235-237
 and smile line, 157-164
- Anterior fixed prosthesis, failing units of, 523-524
- Anterior fixed splint, acrylic resin, 388
- Anterior teeth, emergency replacement of, 511-513
 finishing instruments for, 308
 positioning of, 152-153, 371-373
 replacement of, 496, 511-513
- Antibiotics, coverage, IMZ implant system and, 762
 reactions, 52
- Anti-inflammatory agents, nonsteroidal (NSAIA), 71
- Antimicrobial agents, as adjunct to periodontal therapy, 86, 97, 107
- Antineoplastic agents, side effects of, 6-7
- Anxiety, about speech clarity, 351-352
- Aphthous stomatitis, 39
- Arthritis, 345
- Ascorbic acid. See *Vitamin C*.
- Aspiration of hardware, 863-866
- Aspirin, side effects of, 69
- Atrophic alveolar ridges, augmentation of, 504
- Autopolymerized acrylic resin, 359-364
 advantages and disadvantages of, 358
 in treatment complete dentures, 417, 419
- Baby bottle caries, 178
- Bacteremias, 89
- Ball overdenture attachment, 808-819
- Barreling-in, 466
- Basal metabolic rate, changes with age in, 110
- Behavior modification techniques, 172
- Biocompatibility of implant material, 547-549
- Biologic characteristics of restorative materials, 287
- Biomaterials, calcium phosphate, 503-504
- Bite collapse, multidisciplinary treatment, 253-259
- Bite plane, Hawley, 482, 484, 485
- Biting, lip, cheek, and tongue, osseointegrated implants and, 833-834
- Bleaching, anesthesia for, 325, 328
 diagnosis and testing, 324
 endemic fluorosis, 335-336
 esthetics, 321-338
 heating units, 330
 historical perspective, 321
 hydrogen peroxide, 330
 materials and instruments, 328-332
 nonvital teeth, 325, 336-338
 operative alternatives, 325
 patient preparation, 325
 prophylaxis, 325
 temperature control, 331-332
 thermocatalytic technique, 332-335
 tooth discolorations, 322-324
 treatment plan, 324
 walking period, 332
- Bleeding and clotting disorders, 54
- Blood pressure, auscultatory gap in hypertensive patients, 56
 monitoring, 56
- Body composition, changes with age, 110
- Bonding, agents for, 289
 orthodontic appliances, 185
 simulating, 259, 261
- Bone, alveolar, changes with age, 92
 available, loads, fixture angulation and, 842, 848, 849, 850
 photomicrograph, 93, 94
 skeletal, 115
- Bone density, changes with age, 110
- Bone dimensions, analysis of, before IMZ system implant, 747
 residual, measurement of, 748-750
- Bone esthetics, 265-270
- Bone graft, osseointegrated implants and, 834
 treatment planning for, 610-614
- Bone loss, 105
 alveolar, 115
- Bone plate, mandibular staple, 502-504
- Border extension, with modeling plastic, 417, 418-419
- Bracing, rms, lingual, 391, 392
- Brackets, maxillary, 249
 removal of, 494
- Brånemark implant, 701-730
 long-term follow up of, 542-543
 mucoperiosteal health conditions around, 545-547
 multicenter studies of, 541-542
 in partially edentulous jaws, 543-545
- Brånemark technique for jaw reconstruction, 165-167, 505-506
- Bridges, 87
 fixed, insertion of, 779-781
- Bridgework, fixed removable, IMZ implants with, 753
- Bruxing, osseointegrated implants and, 834, 835, 857, 863
- Buccal retentive arms, 389, 391, 392
 for short-term interim replacement, 380
- Bullet-shaped spheroidal pontic, 473

- Calcitek implant, results of, 541
 Calcium, dietary needs of elderly and, 117
 Calcium balance, 115
 Calcium phosphate biomaterials, 503-504
 Calories, dietary needs of elderly, 115
 Cancer, oral, predisposing behaviors with, 39-40
 postsurgical defects and, 446-451
 prevention of, 87-88
 sex differences and, 39
 warning signs of, 88
 Candidiasis, secondary to xerostomia, 78-79
 use of broad-spectrum antibiotics for, 39
 Canine platform, 485
 Cantilevered fixed provisional restorations, 374
 Cantilevers, lips and, 829-830, 831
 Capped teeth, 157, 158
 Carbide finishing instruments, 309-310
 Carbohydrates, dietary needs of elderly, 117
 Cardiovascular disease, 54
 Cardiovascular disturbances, 345
 Caries, baby bottle, 178
 bite collapse, 253-254
 complicated by xerostomia, 83
 misconceived as disease of youth, 81-83
 over-50 age group, 83
 prevention, 81-84
 recurrent periodontal disease and, 86
 root surface, 83
 association with periodontal disease, 36
 trends in aging population, 35
 secondary to xerostomia, 78-79
 Case Report, allergy to nonsteroidal antiinflammatory agents, 71-72
 Cast bar, 491
 Cast cobalt chrome, 384, 386-387, 392-393
 Cast glass laminates, 315
 Casts, diagnostic, 283-284
 mandibular, 370
 maxillary, 370, 389
 Cavi-jet damage to composite restorations, 317
 Cementation, 473
 Cemented abutments, for fixed prosthetics, 875-876
 indications for, 873
 Cemented fixed prosthesis, Integral, abutment for, 800-801, 802
 Cements, glass ionomer, 290
 Cementum, 103
 Ceramic appliances, 188
 Ceramics, polycrystalline, 504
 Ceramist in esthetic consultations, 281
 Charting procedures, 346
 Cheek biting, osseointegrated implants and, 833-834
 Cheilitis, 78-79
 Cheilosis, angular, 119
 Chemosensory changes, adjustments to, 29
 dangers of, 28
 effect on diet with, 111
 extent of, 29
 Chest pains, 54
 Children. *See Pediatric dentistry.*
 Chloramine-T, 107
 Chlorhexidine digluconate, 97
 Clamps, rubber dam, 328
 Clasp arms, 379, 380, 389-390
 Clear plastic appliances, 186-188
 Clear surgical stent, 408
 Cleft palate, adult patients with, 442-444
 Cleidocranial dysostosis, 404
 Clenching, osseointegrated implants and, 834, 857, 863
 Clip retention system, prefabricated bar and, IMZ implants with, 751, 752
 Cobalt chrome framework, for removable partial denture, 384, 386-387, 392-393
 maxillary partially edentulous cast with, 389
 Code on Dental Procedures and Nomenclature, 905
 Cogentin side effects, 70
 Combination fixed-removable reconstruction, provisional prosthodontic appliances in, 379-397
 thread-in abutments for, 876-877
 Complete denture esthetics, 145-155
 historical perspective, 145-149
 occlusal plane, 148, 149
 See also Esthetic dentistry: Occlusal plane esthetics.
 Complete dentures, interim, 420
 provisional, 415
 treatment, 415-419
 Composite resins, 291-292
 classification, 291
 finishing, 308-311
 hybrid systems, 291
 light-cured, 291-292
 selection, 292
 simplified technique, 314-315
 traditional and microfilled, 291
 Composites, bleaching, 332
 finishing, 307-320
 See also Composite resins.
 Compromised patient, treatment decisions, 172-177
 Computed tomography, dental examination with, 556-559, 560, 561
 in dental implantation surgery, 555-596
 nonimplant potential dental uses for, 595-596
 and osseointegration, 639-640
 after titanium implantation, 590, 592-594
 Computer-assisted patient evaluation (CAPE), 136
 Congenital defects, maxillofacial prosthetics in, 435-444

- Connector bar, IMZ implants with, 751, 752
 Consensus Development Conference, 903-904
 Copper bands, 468
 Core-Vent implants, results of, 540
 Coronal screw attachment for Integral implant, 802-804
 Cosmetic dentistry. *See Esthetic dentistry; Reconstructive surgery.*
 Countersinking, excess, 651-652
 Cristobalite cast, 370
 Cross bites in pediatric patients, 179
 Crown, cementation and, 473
 contours, 472-473
 establishment of adequate dimensions, 463-464
 exaggerated height, 466
 provisional, heat-cured acrylic resin, 389
 short, 466
 Crown and sleeve-coping removable partial denture, 408
 Crown lengthening, 106-107
 forced eruption with fiberotomy, 249-253
 procedures, 249-253
 Crozat appliances, 189-191
 CRY baby, treatment decisions, 172-177
 nonrestorative treatment, 175-177
 See also Pediatric dentistry.
 Cure versus care syndrome, 9
 Curriculum Guidelines in Geriatric Dentistry, 14
 Cuttle disks, bleaching, 332
- Dental fluorosis, bleaching, 335-336
 tooth discolorations, 322
 Dental implants. *See Osseointegrated implants.*
 Dental insurance, implantology and, 903-907
 Dental office environment, background
 noise and, 46-47
 communication aids and, 46
 evaluation of, 24
 exterior concerns, 44, 45
 handles and knobs, 46
 hazards, 88-89
 interior concerns, 44-47, 48-49
 lighting, 46
 safety concerns, 47
 seating, 46
 toilet facilities, 46
 Dental services, utilization of, 37-38
 Dental stone, 437, 439
 Dentin bonding agents, 289
 Dentistry, geriatric, 12-13
 defined, 11
 education programs, 14-16
 goals, 15
 major areas, 14, 15
 veterans administration, 15
 preventive, education program, 86
 limitations, 82
 scope, 82
 restorative, 86-87
 Dentists' attitudes toward elderly patients, 4
 Dentition. *See Teeth.*
 Dentogenics concept, 147
 Dentures, 87, 107
 alveolar contours, 147
 cleaning, 87
 conventional interim removable partial, 401-403
 effect on diet, 110
 esthetic considerations. *See Esthetic dentistry.*
 immediate interim removable partial, 403-408
 impression procedures, 151-153, 467-469
 interim complete, 420
 labial mucosa and, 351
 lip support, 152-153
 overclosure and correction, 149-150
 provisional complete, 415
 provisional removable partial, 399-401
 psychological trauma, 154
 stability and esthetics, 151
 training period with, 351
 transitional removable partial and complete, 408-415
 treatment complete, 415-419
 See also Complete denture esthetics; Implants; Provisional restorations.
 Depression, 55
 Detachable prosthetics. *See Removable entries.*
 Diabetes, 54, 345
 Diagnosis, and Medicare, 906-907
 pretreatment exam in, 346
 removable provisional use in, 516, 518-520
 and treatment plan, 873
 Diagnostic casts, 283-284
 Diamond finishing instruments, 309-310
 Diet diary, 121, 122
 Diet modifications, effect on nutritional status of, 111
 Dietary assessment, qualitative, 121-122
 semiquantitative, 122-123
 Dieticians, 122, 123
 Digit sucking, 179, 180
 Dip wax copings with preformed patterns, 296, 297
 Direct veneers versus laminate veneers, 303-306
 Discoloration Questionnaire, 134-135
 Discolorations, bleaching, 322-324, 336-338
 dental fluorosis, 322
 endodontic materials, 323-324

- nonvital teeth, 336-338
restorative materials, 324
tetracycline-induced, 337-338
trauma-induced, 323
types of, 322
- Disease, systemic, oral manifestations of, 88
- Disks, rubberized, 311
- Distension, neck veins, 54
- Distribution of drugs, 61
- Donor-site discomfort, major oral maxillofacial surgery and, 498
- Drifting and migration, 253-259
- Drug-disease interactions, 63
- Drug-drug interactions, 62-63
- Drug-induced illness, 63-64
- Drugs, effect on nutritional status, 112
in patient medical history, 345
See also *Pharmacotherapy*.
- Dry polishing, 310-311
- Duralay, 524
- Dyspnea, paroxysmal nocturnal, 54
- Ecchymosis, 54
- Economic factors, effect on nutritional status, 111
- Edentulism, decreases in all age groups (1950-1985), 94
distribution of, 34
effect on nutritional status with, 113
mandibular, IMZ implants for, 751
treatment of, 704-707
maxillary, treatment of, 707-719
over-55 age group, 81
and treatment planning for osseointegrated implants, 604-608
See also *Teeth, natural*.
- Edentulous patients, 166-170
IMZ implants in, 742, 744, 745, 751
phonation restoration, 351-352
provisional prosthodontic appliances for, 620-622, 623-626
stents in, with radio-opaque markers, 564-574, 575, 576
See also *Partially edentulous patient*.
- Effective dose (ED), defined, 69
- Elastomeric impression, 394
- Elderly population, attitudes toward dental disease, 4
dental care utilization of, 14, 86
fear of dental care in, 17
growth of, 1, 33
- Electrosurgery, 468
- Embrasure space, short crowns and, 466
- Emergency removable provisional prostheses, 511-513
- Emotional problems, 344
impression taking and, 346
See also *Psychological concerns*.
- Emotional stability, periodontal treatment and, 105
See also *Mental health*.
- Emotionally disturbed children, 179-181
- Enamel, defects in, 179
reactivity, 288
- Endemic fluorosis, 328
- Endocrine disorders, 345
- Endosteal implants, 505-508
- Epilepsy, 345
- Epistaxis, 54
- Epithelial attachment, apical migration with age and, 101-102
- Epulis fissuratum, management of, 498-499
- Erosion prevention, 84-85
- Error Theory of Aging, 19
- Erupted teeth attachment, 241, 248
- Eruption, altered passive, 237-241
- Erythroblastosis fetalis, 322
- Esthetic consultations, 277-286
ceramist, 281
final, 285
initial, 280-283
materials and methods, 277-285
operatory and laboratory personnel, 277-286
patient form, 281, 282
second and third, 283-285
timing flow chart, 278
- Esthetic dentistry, 494
bleaching, 321-328
crown contours, 472-473
fixed partial prosthodontics and, 355
immediate interim prosthesis and, 408
occlusal plane and, 382-383
osseointegrated implants, 165-170, 823-832
periodontal therapy, 221-263
provisional fixed prosthodontics, 369, 371-373
provisional maxillofacial prosthetics and, 444
psychological concerns, 343-344
restorative materials, 287-293
See also *Complete denture esthetics; Orthodontics*.
- Etched porcelain laminates, 303-306
abrasion resistance, 304
biocompatibility, 304
color and cost, 304-305
versus direct composite veneers, 303-306
esthetics and strength, 304
opaquing and preparation, 305
repairability and fragility, 305
- Ether in bleaching, 328
- Eugenol sealant, 332
- Excessive overjerks in pediatric patients, 179
- Excretion, drug, 61
- "Exercise prosthesis," 349-350

- Extracoronar block, for IMZ implant system, 776-778
- Fabricated veneers, 154
- Facial exercise and smiling, 139-144
- Facial prosthesis, 453, 454
- Facial support, immediate interim prosthesis in, 407, 408
- osseointegrated implants and, 829-832
- Family and social history, 55
- Fats, dietary needs of elderly and, 116-117
- Fears of patients, overcoming, 350
- Feeding prosthesis, 437
- Female tooth composition, 159-160
- Fiber, dietary content of foods and, 144
- Fibrotomy, 249-253
- Filled ionomer cements, 290
- Finger sucking, 179, 180
- by infant, impression procedures and, 437
- Finishing, cast glass laminates, 315
- composites and laminates, 307-320
- disks and strips, 312
- evaluating results, 316-317
- glazes, 312-314
- ideal restoration, 308
- maintenance, 317
- objectives, 307-308
- porcelain laminates, 315-316
- simplified technique, 314-315
- therapy sequence, 313-314
- Finishing instruments, anterior and posterior, 308-309
- carbide versus diamond, 309-310
- shape and surface, 308-311
- Fixed bridge insertion, 779-781
- Fixed cemented prosthesis, Integral, abutment for, 800-801
- Fixed partial dentures, 296
- adding segment to removable partial denture, 523-525
- conversion to removable provisional dentures, 520-523
- failed, 513, 514-515, 523-524
- Fixed partial prosthodontics, provisional restorations in, 355-376
- Fixed prosthetics, cemented and thread-in abutments for, 875-876
- preangled 15x abutment, 801-802
- cemented in post, 802
- Fixed removable bridgework, IMZ implants with, 753
- Fixed-removable combination reconstruction, provisional prosthodontic appliances in, 379-397
- thread-in abutments for, 876-877
- Fixture fracture, 654, 857, 862-863
- Fixture mobility, 652, 654
- Fixtures, angulation of, loads and, 842, 848, 849, 850
- in edentulous patients, 167-169
- labially inclined, 823-828
- malposed, 654-655
- Flange, short, 351
- Flaps, apical, 460
- buccal, 236-238
- facial and palatal, 267
- maxillary, 243
- papillary, 270-274
- suturing, 241, 243
- Floss. See *Oral hygiene*.
- Fluid absorption resistance of porcelain laminates, 304
- Fluoride treatment, trends in aging population and, 36
- xerostomia and, 78
- Fluorosis. See *Dental fluorosis*.
- Folic acid, deficiency symptoms and, 118
- dietary needs of elderly and, 118-119
- dietary sources and, 119
- Food selection, impact of dental status and, 109
- Forced eruption with fibrotomy, 249-253
- F-R rest seals, 395-396
- Fracture, fixture, 654, 857, 862-863
- prosthetic screw, 853, 857, 858-859
- Framework, design of. See *Metallic framework design*.
- try-in of, IMZ implant system and, 779
- Free gingival grafts, 222-226
- Frustration, age-related, 7
- Full-arch mandibular die stone cast, 370
- Furcation, after surgical therapy, 466
- Gastrointestinal function, changes with age, 110
- Gender recognition and anterior esthetics, 159-161
- Genial tubercle, management of, 499-501
- Geriatric Dentistry Education Awards, 14
- Geriatric Education Centers, 15
- Gingiva, duplicating, 147
- epithelium changes with age, 92
- grafts, 222-226
- hyperplastic, 468
- keratinized, 464
- maxillary anterior esthetics, 265-270
- overexposed, 142
- papillary preservation, 270-274
- pigmentation, 237-239
- recession with age, 92
- shrinkage, 267
- See also *Periodontics*.
- Gingivitis, rate of development, 85
- Glass ionomer cements, 290
- fluoride content, 290
- pediatric restoration, 177, 178
- Glazes, finishing, 312-314

- surface texture, 313
 therapy sequence, 313-314
 Glossectomy, provisional maxillofacial prosthetics after, 454
 Glossitis, 78-79
 Gold coping, 524, 525
 Gold screws, design of, 866-867
 instrument access to, 866
 Gold thimble, 364-365, 367-368, 370-372
 Gold wrought wire, 380-381, 389-390
 Crafts and grafting, aloplastic, 834, 837-841
 bone, osseointegrated implants and, 834
 treatment planning for, 610-614
 free gingival, 222-226
 genial tubercle management and, 499
 lateral pedicle, 222-227
 maxillary vestibuloplasty and, 501-502
 mylohyoid ridge management and, 499
 papillary preservation, 270-274
 periodontal techniques, 222-227
- Hand over mouth exercise (HOME), 172
 Hardware, swallowed and aspirated, 863-866
 Hawley bite plane, 482, 484, 485
 Health care, costs of, 2-3
 current, 52
 delivery improvements, 9
 dental perspective, 4
 location, 3
 Health limitations of periodontal therapy, 97, 105
 Health professionals' attitudes toward elderly patients, 4, 7-10
 Health services, community-based special training, 3
 Hearing changes, adjustments and, 28
 effect on diet, 111
 impairment and, 3
 types of, 27-28
 Heart disease, 345
 Heat-cured acrylic resin provisional crowns, maxillary partially edentulous cast with, 389
 Heat-cured acrylic resin shell, 364-366, 379-380, 385
 Heating units in bleaching, 330
 Hematology, 123
 Hepatitis, 88-89
 Herpes simplex, 39
 Home care, limitations of, 107
 Medicare/Medicaid, 2
 Homeostasis, age-related changes and, 60
 Hospitalization history, 52
 Houncefield units, 640-643, 644
 Hybrid prostheses for edentulous patients, 167
 Hybrid resin systems, 291
 Hydrochloric acid, 328
 Hydrocolloid impressions, 365, 436-437, 438
 Hydrocortisone cream, stent placement and, 500
 Hydrogen peroxide, 330
 Hydroxylapatite, 503-504
 stent construction and, 504
 Hydroxylapatite-coated dental implants, 879-902
 biochemical considerations of, 887-889
 biologic rationale for, histologic evidence of, 886-887
 hollow vented design of, 887-889
 metal, 882-886
 surgical techniques for, 889-891
 implant cylinder and, 891-901
 treatment plan considerations with, 887
 Hygienic pontic, 473
 Hypertension, 345
 Hyperthyroidism, 55, 56
 Hypothyroidism, 54
- Impacted teeth, 241-249
 Implant predictability, restorative predictability versus, 702-703
 Implant prosthodontics, multimodal approach to, 869-878
 Implants, 107
 See also *Osseointegrated implants*.
 Impression procedures, 151-153, 384-385, 467-469
 emotional problems in, 346
 for IMZ implant system, 766-769
 for infants, 437
 IMZ osseointegrated implant system, 541, 733-790
 additional abutments with, 783-788
 antibiotic coverage and, 762
 clinical results of, 782-790
 contraindications to, 746
 design of, rationale for, 734-740
 failure and removal of, 789-790
 and fixed bridge insertion, 779-781
 framework try-in for, 779
 impression making procedure for, 766-769
 laboratory procedures and, 773-775
 completion of, 779-781
 model and die preparation for, 770-771
 patient follow-up care and maintenance with, 781-782
 patient selection for, 740-745
 placement of, 758-762
 position and size of, 751-753
 presurgical planning for, 747
 and prosthetic design, 771-773
 and prosthetic management, 766-771

- IMZ osseointegrated implant system
 (Continued)
 receptor site preparation for, 753-758
 recovery of, 762-766
 splinting of, to natural dentition, 776-779
 sterile implant set, 758-762
 and study model analysis, 750
 treatment planning for, 750-753
 Incisal length esthetics, 161-164
 Indiana bleaching unit, 330
 Indirect veneers, 303-305
 Infants, 172-177
 provisional maxillofacial prosthetics in,
 435-442
 See also *Pediatric dentistry*.
 Inferior alveolar neurovascular bundle, os-
 seointegrated implant complications in,
 842
 penetration of, 650-651, 653
 Inflammatory periodontal disease, 457
 Infrabony defects, 270
 Initial esthetic consultation, 280-283
 Insurance, dental implants and, 903-907
 Integral implant, abutment heads for, 795
 cemented fixed, abutment for, 800-801
 coronal screw attachment for, 802-804
 exposure of, 793-794
 magnetic attachments for, 805-808
 preangled 15x abutment fixed, 801-802
 cemented in post, 802
 prosthodontic considerations with, 793-819
 removable, abutment for, 795-800
 S.D. Ball overdenture attachment for,
 808-819
 Zest attachment for, 804-805
 Interdental bone esthetics, 267-269
 Interdisciplinary approach to restorative ma-
 terials, 287
 Interim dentures, complete, 420
 conventional removable partial, 401-403
 immediate removable partial, 403-408
 See also *Provisional restorations*.
 Intepore implant, results of, 541
 Interproximal connectors, lingual placement,
 296, 298
 porcelain spacing, 296-300
 strength and esthetics, 296-298
 Intracoronar rests, 396
 IntraMobile Cylinder implant. See *IMZ os-
 seointegrated implant system*.
 Invisible braces. See *Lingual brackets*.
 Iodine deficiency, 121
 Ionomer cements, glass and filled, 290
 Iron, deficiency of, 118, 121
 dietary needs of elderly and, 117-118
 dietary sources of, 118
 Irradiation, implants and, 550-551, 848
 Irreversible hydrocolloid, 436-437, 438
 Isometric smile exercises, 143-144
 Isotonic smile exercises, 140-142
 ITI hollow cylinder implant, results of, 541
 Jaundice and tooth discolorations, 322
 Jaw, cortical walls of, penetration of, 650-
 651
 Jaw reconstruction, 165, 167, 505-506
 See also *Maxillofacial surgery*.
 Karsch technique for jaw reconstruction, 506
 Kennedy class I partially edentulous mandi-
 ble, 720-725
 Kennedy class I partially edentulous maxilla,
 725, 727
 Kennedy class II partially edentulous man-
 dible, 427, 720-725
 Kennedy class II partially edentulous max-
 illa, 728-729
 Kennedy class III partially edentulous man-
 dible, 720
 Kennedy class III partially edentulous max-
 illa, 725, 726
 Kennedy class IV partially edentulous man-
 dible, 720
 Kennedy class IV partially edentulous max-
 illa, 725
 Keratinized gingiva, dimensions of, 464
 Keratinized tissue, 237, 241
 Labial mucosa, short flange and, 351
 Labially inclined fixtures, 823-828
 Laboratory personnel in esthetic consulta-
 tions, 277-286
 Laminates, finishing, 307-320
 See also *Etched porcelain laminates*.
 Lang's Acrylic Primer, 373
 Lateral pedicle grafts, 222-227
 Lateral view of smile line, 163, 164
 Lethal dose (LD), defined, 69
 Leukoplakia, 345
 Lichen planus, 39
 Life span, cells, 20
 human maximum, 20
 Light wire therapy, 184-185
 Light-cured resins, 291-292
 Light-heat lamp for bleaching, 331
 Lingual bracing arms, 389, 391, 392
 for short-term interim replacement, 380
 Lingual brackets, 191
 framework design, 298-299
 interproximal connectors, 296, 298
 Lip biting, osseointegrated implants and,
 833-834
 Lip line, osseointegrated implants and, 829
 Lip support, and cantilevers, 829-830, 831
 and phonetic function, 152-153
 Lips, and osseointegrated implant complica-
 tions, 830, 831
 Liver enlargement, 54
 Loading conditions, implants and, 551-552

- Loads, fixture angulation, available bone and, 842, 848, 849, 850
 Local anesthetic test, in recognition of failing implants, 658, 661
 Lower lip esthetics, 158-159
 Lymph nodes, cervical, 57
- Magnetic attachments for Integral implant, 805-808
 Maintenance, of finished restorations, 317
 osseointegration and, 694, 696-697
 IMZ implant system, 781-782
 Male tooth composition, 159-160
 Malformations, congenital, 131
 Malposed fixtures, 654-655
 Mandible, edentulous, IMZ implants for, 751
 stents with radio-opaque markers in, 564, 565, 566
 treatment of, 704-707
 partially edentulous, stents with radio-opaque markers in, 574, 577, 579-583, 584
 treatment of, 719-725
 Mandibular casts, 370
 Mandibular defects, provisional maxillofacial prosthetics and, 452
 Mandibular discontinuity, and treatment planning for osseointegrated implants, 609-610
 Mandibular extension base interim partial denture, 380
 Mandibular function, phonation and, 351
 Mandibular lateral incisor pontic, 494
 Mandibular provisional fixed prosthesis, 375
 Mandibular removable partial denture, 383-384, 386-387
 Mandibular staple bone plate, 502-504
 Mandibular trauma, 446
 Margin locations, 469-472
 Marital status, effect on diet of, 112
 Maxilla, edentulous, stents with radio-opaque markers in, 564-565, 567-576
 treatment of, 707-719
 partially edentulous, stents with radio-opaque markers in, 583, 585-590, 591
 treatment of, 725-729
 Maxillary anterior esthetics, 265-275, 482, 484
 central incisors, 265-270
 flaps and brackets, 243, 249
 gingiva and bone, 265-270
 nonsurgical therapy, 270
 Maxillary arch, preparation for removable partial denture, 408
 Maxillary canines, 479, 485
 Maxillary casts, 370, 389
 Maxillary occlusal stops, 485
- Maxillary partial denture, provisional removable, 385, 388-396
 Maxillary template, anterior displacement of, 655-656, 659-660
 Maxillary trauma, 446
 Maxillary vestibuloplasty, with skin grafting, 501-502
 Maxillofacial prosthetics, acquired defects and, 445-454
 in adult patients with cleft palate, 442-444
 congenital defects and, 435-444
 provisional restorations in, 435-454
 Maxillofacial surgery, 497-508
 discussions with patient before, 498
 endosteal implants, 505-508
 epulis fissuratum management, 498-499
 genial tubercle management, 499-501
 mandibular staple bone plate, 502-504
 maxillary procedures, 501-502
 mylohyoid ridge management, 499
 preoperative management instructions, 505
 Medicaid, 2, 8
 Medical history, 345-352
 elements of, 53
 and osseointegration, 647-650
 range and importance, 51-53
 See also *Systems review*.
 Medical/social history, 120
 Medicare, 2, 8
 dental implantology and, 906-907
 Medications history, 52
 Melena, 54
 Memory loss, 55
 Menopause, 345
 Menstrual bleeding, increased, 54
 Mental health, nutritional status and, 112
 reluctance to use available services, 8
 Mental illness, discussion with family member and, 105
 Mentally retarded children, 179-181
 Metabolism, drugs and, 61
 Metal dental implants, hydroxylapatite-coated, 882-886
 Metallic framework design, 295-302
 esthetic considerations, 295-302
 interproximal connectors, 296-298
 lingual reinforcement, 298-299
 physiologic considerations, 295-302
 planning and preparation, 295-301
 pontic-tissue relationships, 299-301
 porcelain spacing, 296-300
 strength and form, 295-301
 Methotrexate, side effects of, 70
 Methyl methacrylate, 513-515, 524
 Microbial plaque. See *Plaque* entries.
 Microfilled resin systems, 291
 Microleakage in restorative materials, 288
 Migration and drifting, 253-259

- Miosis, 68
 Modeling plastic, border extension with, 417, 418-419
 Modified-ridge-lap pontic design, 473
 Molars, tilted, 461
 Mottling. *See Dental fluorosis.*
 Mouthwashes, 86, 97, 107
 Mucogingival problems, management of, 464
 See also Periodontics.
 Mucoperiosteal health, Brånemark implants and, 545-547
 Mucosa, oral, atrophy, nutritional status and, 112
 maintenance, 109
 Mucosal contours, duplicating, 147
 Mucositis, 78-79
 atrophic, 39
 Mucous membrane pemphigoid, benign, 39
 Mucous membrane syndromes, 39
 Multidisciplinary therapy, 253-261
 Muscle cramping, 54
 Muscular atrophy, orofacial, nutritional status and, 112-113
 whole body, 110
 Mydriasis, 68
 Mylar thread in pontic-tissue evaluation, 296, 300
 Mylohyoid ridge, management of, 499
 Myocardial disease, 56
- Nalfon, allergy to, 71-72
 Natural teeth. *See Teeth, natural.*
 Neck irregularities, 56-57
 Neurological disease, osseointegration and, 647-650
 Niacin deficiency, 121
 Nonrestorative treatment of pediatric patients, 175-177
 Nonvital teeth, bleaching of, 325, 336
 discolorations in, 336-338
 Nose, penetration of, 650-651, 652
 Nutrient analysis programs, 122
 Nutrition, economic factors and, 111
 effect of drugs on, 112
 effect of oral health on, 112-115
 mental health and, 112
 needs of elderly and, 115-119
 physiologic changes with age and, 109-111
 psychosocial aspects of, 111-112
 special diets and, 111
 Nutritional status, assessment of, 119-123
 clinical signs of deficiency and, 120-121
 Nylon rest seals, 395-396
- Obesity, 55
 Occlusal forces, distribution of, in IMZ implant system, 734-735
 Occlusal loading, 717, 719
 Occlusal plane esthetics, 148, 149, 382-383, 485-488
 short-term interim replacements and, 380
 Occlusal stops, maxillary, 485
 Occlusion, vertical dimension of, 408
 Hawley bite plane and, 485
 Odontoplasty, 466
 Open bites in pediatric patients, 179
 Operator personnel in esthetic consultations, 277-286
 Oral charts, 346
 Oral examination, before IMZ system implant, 747
 Oral habits of pediatric patients, 179
 Oral health status of elderly population, 14, 33-34
 Oral hygiene, limitations of in elderly patients, 107
 modifications for handicapped, 86
 periodontal therapy and, 106
 Oral maxillofacial surgery, surgical stents and, 497-508
 Oral surgery, effect on nutritional status, 113
 Orthodontic appliances, 183-193
 adult, 185-186
 ceramic, 188
 clear plastic, 186-188
 Crozat type, 189-191
 invisible braces, 191
 light wire therapy, 184-185
 lingual brackets, 191
 sapphire crystal, 191-192
 Orthodontics, 241-249, 461-462, 479-496
 anterior teeth, 496
 edentulous patient, 166-167
 impacted teeth, 241-249
 sequence of therapy, 495-496
 Orthopnea, 54
 Osseodisintegration, 648
 Osseointegrated implants, 165-170, 497-498
 for anterior partially edentulous and single tooth replacement, 829, 831
 biocompatibility of, 547-549
 biologic complications of, 834, 837-853, 854, 855, 856
 Brånemark, 541-547
 Calcitek system, 541
 cemented abutments for, indications for, 873
 chronic pain following, 851, 855-857
 clinical results with, 539-547
 combination of different systems, 662
 complications with, prevention and resolution of, 821-867
 connection options for, 872
 Core-Vent, 540
 design of, surface conditions and, 549-550
 edentulous patients, 604-609
 endosteal, 505-508

- ergonomic complications of, 863-867
 esthetics and, 823-832
 facial support and, 829-832
 failing, recognition of, 656, 658, 661
 fibrous versus bony interface around, 537-538
 and fixture fracture, 857, 862-863
 functional complications of, 833-834
 hydroxylapatite-coated, 879-902
 See also *Hydroxylapatite-coated dental implants*
 IMZ, 733-790
 See also *IMZ osseointegrated implant system*
 and inferior alveolar neurovascular bundle, 842
 Integral, 793-819
 See also *Integral implant*
 Interpore system, 541
 ITI hollow cylinder, 541
 labially inclined, 823-828
 lip line effects of, 829
 loading conditions for, 551-552
 mandibular staple bone plate, 502-504
 mechanical complications of, 853, 857-863
 patient evaluation and treatment planning for, 599-617
 patient selection for, 600-603, 704
 phonetics and, 832-833
 predictability of, 702-704
 previous dental implants and, 842, 843-847
 prosthetic applications of, 873
 and prosthodontic options, 874-875
 for reconstructive surgery, 502
 sapphire, 541
 and severe parafunctional forces, 857, 863
 surgical technique and, 551
 soft tissue modifications of, 665-681
 Swedish method, 165, 541-547
 See also *Brånemark implant*
 and third party carrier coverage, 903-907
 thread-in abutments for, indications for, 873
 titanium, computed tomography following implantation of, 590, 592-594
 types of, 637-639
 Osseointegration, 497
 Brånemark, 701-730
 clinical success of, 877
 complications of, 635-663
 computed tomography in, 555-596
 concept of, 538-539
 experimental research projects in, 547-552
 first-stage procedure, 665-675
 maintenance of, 694, 696-697
 multimodal approach to, 869-878
 perforation during, 650-651
 presurgical outlines and, 643, 645
 provisional prostheses and, 423-433
 refraining from, 662
 research and long term reports, 877-878
 retained teeth during, 706-707, 713, 715, 716
 second-stage procedure, 675-681
 biologic and clinical rationale for, 683-697
 state of the art, 537-552
 team approach to, 635-637
 and third party carrier coverage, 903-907
 See also *Osseointegrated implants*
 Osteotomy in tooth-arch discrepancy, 261, 262
 Osteoporosis, radiographic signs of, 102
 Overclosure and correction, 149-150
 Overdenture therapy, mandibular, 707
 maxillary, 715, 717, 718
 S.D. Ball attachment, 808-819
 thread-in abutments for, 876-877
- Pain, chronic, following tissue-integrated prosthesis, 851, 855-857
 Palatal flaps, 249-250
 Palatal platforms, 479, 480
 Papilla, anterior esthetics, 235-237
 minimizing loss, 267
 preservation surgery, 270-274
 reconstruction, 230-234
 Parafunctional forces, severe, osseointegrated implants and, 857, 863
 Parafunctional habits, osseointegrated implants and, 834, 835
 Partial dentures, conventional interim removable, 401-403
 conversion of, 513, 516, 517-518, 520-523
 fixed prosthesis segment added to, 523-525
 immediate interim removable, 403-408, 513, 514-515
 mandibular extension base, 380
 provisional removable, 399-401
 training period with, 351
 transitional removable, 408-415
 Partially edentulous mandible, Kennedy class I, 720-725
 Kennedy class II, 427, 720-725
 Kennedy class III, 720
 Kennedy class IV, 720
 stents with radio-opaque markers in, 574, 577, 579-583, 584
 treatment of, 719-725
 Partially edentulous maxilla, Kennedy class I, 725, 727
 Kennedy class II, 728-729
 Kennedy class III, 725, 726
 Kennedy class IV, 725
 stents with radio-opaque markers in, 583, 585-590, 591
 treatment of, 725-729

- Partially edentulous patient, 167-170
 abutment length, 169
 Brånemark implant results in, 543-545
 crown and sleeve-coping removable partial denture for, 408
 fixture alignment, 167-169
 maxillary cast for, 388-390, 394
 osseointegrated implants, 167-170, 829, 831
 IMZ system, 750-751, 771-773
 treatment planning for, 608-609
 porcelain veneers, 169-170
 provisional prosthodontic appliances for, 622, 626-628
 soft-tissue environment, 169
 stents in, with radio-opaque markers, 574, 577-591
 titanium abutments, 170
 transitional removable partial dentures in, 409-412
- Partially edentulous surgical templates, mandibular, 507
- Patients, bleaching preparation and, 325
 computer-assisted evaluation of, 136
 edentulous, 166-170
 esthetic consultations for, 277-286
 evaluation of, for osseointegrated implants, 599-617
 forms for, 281, 282
 preoperative discussions with, 498
 psychological concerns of, 343-352
 reimbursement of, through third party insurance carriers, 904-905
 selection of, for mandibular staple bone plate, 503
 for osseointegrated implants, 600-603, 704, 740-745
 self-examination, 133-135
- Pediatric dentistry, 171-181
 arch forms, 179
 behavior modification, 172
 compromised patient, 172-177
 concepts and practices, 171-181
 cross bites, 179
 enamel defects, 179
 finger sucking, 179, 180
 materials, 181
 mentally retarded child, 179-181
 open bites, 179
 oral habits, 179
 predicting results, 181
 provisional maxillofacial prosthetics in, 435-442
 recalcitrant patient, 172-177
 special children, 179-181
 tooth color, 177-179
 treatment decisions, 172
- Pedicle grafts, 222-227
- Pemphigus vulgaris, 39
- Perforation, osseointegration and, 650-651, 653
- Perimplantitis, acute, 652
- Periodontal attachment, apical migration with age and, 92-93
- Periodontal disease, 253, 457
 advanced breakdown and, 105
 age distribution and, 96
 age group trends and, 35, 36-37
 osseointegrated implants and, 848, 851, 852-854
 prevalence and, 93-95
 prevention and, 85-86
 proportion of adults with periodontal pockets (1960-1986), 36
 recurrence, 96
 scoring techniques, 85
 susceptibility, 95-96
- Periodontal ligament, changes with age, 92
- Periodontal ligament space, changes with age, 101
- Periodontal pockets, keratinized gingiva dimensions and, 464
- Periodontal therapy, alternatives and, 96
 effectiveness of, 95-96
 nonsurgical, 96-97
 right to treatment for elderly patients and, 91-92
 surgical, 96
- Periodontal tissues, changes with age, 92-93, 101
- Periodontics, 221-263
 anterior esthetics, 235-241
 bite collapse, 253
 crown contours, 472-473
 crown lengthening, 249-253
 electrosurgery, 468
 establishment of healthy environment, 462-463
 evaluation of treatment response, 474-475
 grafting techniques, 222-227
 impression procedures, 467-469
 maxillary anterior esthetics, 265
 multidisciplinary therapy, 253-261
 orthodontics and, 241-249
 problem solving, 221-263
 for provisional restorations, 457-475
 ridge augmentation, 228-234
 sequence of therapy, 458-464
 soft tissue management, 467
 unique solutions, 222-261
- Periodontitis, 104
- Periodontium, 103
 maintenance, 107
- Peripheral vascular disease (PVD), 54
- Periphery Wax, 437
- Petroleum gels in bleaching, 329, 330
- PGP wrought wire, 380
- Pharmacodynamic changes, age- and disease-related, 59-60
- Pharmacokinetic changes, age- and disease-related, 60-62
- Pharmacotherapy, 64-65

- Phenothiazine, side effects of, 70
 Phonation, restoration of, 351-352
 Phonetics, anterior tooth positions and, 371-373
 lip support and, 152-153
 osseointegrated implants and, 832-833
 Phosphoric acid, 337
 Physical examination, 55-57
 Physically impaired children, 179-181
 Physican consultation before dental treatment, 51, 105
 Physiologic considerations in metallic framework design, 295-302
 Physiology, changes with age and, 109-111
 Pigmentation of gingiva, 237-239
 Pink methyl methacrylate, 515
 Plaque, limitations of control in elderly patients and, 107
 microbial composition of, 85-86
 rate of accumulation of, 85
 removal by antimicrobial agents, 97
 Plaque accumulation, cementation and, 473
 periodontal disease and, 457
 Plaque removal, 267, 270
 accessibility for, 475
 Plastic, modeling, border extension with, 417, 418-419
 stent construction with, 501-502
 Polishing, wet versus dry, 310-311
 Polyacrylic acid systems, 289-290
 Polycrystalline ceramics, 504
 Polymerization of resin systems, 291-292
 Polyoxymethylene, in IMZ implant system, 739-740
 Polypropylene matrix, vacuum-formed, 360, 363-364
 Pontic, design, 473
 IMZ implant system and, 771-773
 mandibular lateral incisor, 494
 porcelain, 491
 positioning, 169
 second premolar, 492
 tissue relationship, 299-301
 See also *Metallic framework design*.
 Porcelain restorations, ridge tissue and, 299-300
 spacing in framework, 296-300
 See also *Etched porcelain laminates*.
 Porphyria, and tooth discoloration, 322
 Positioning of anterior teeth, 152-153
 Posterior bite collapse, 253-259
 Postoperative considerations. See *Surgery*.
 Pound's guidelines for tooth positioning, 166
 Progeria, 20
 Prophylactic abrasives, 328
 Prostheses. See *Dentures*; *Osseointegrated implants*; *Provisional restorations*.
 Prosthetic screw fractures, 853, 857, 858-859
 Prosthetics, 87
 presurgical, and surgical templates, 619-633
 Prosthodontic considerations, Integral implant and, 793-819
 Prosthodontic rehabilitation, 277
 Prosthodontic treatment, provisional postoperative, 424-433
 Prosthodontic treatment planning, for osseointegrated implants, 604-614
 Prosthodontics, multimodal approach to, 869-878
 Protectants, tissue, 328
 Protein, deficiency of, 121
 needs of elderly, 115-116
 Protoform, displacement of, 500
 Provisional restorations, 283-285
 acquired defects and, 445-454
 advantages of training period, 351
 cementation, 473
 in combination fixed-removable reconstruction, 379-397
 complete, 408-420
 congenital defects and, 435-444
 diagnostic, 516, 518-520
 durability of, 356
 for edentulous patient, 620-622, 623-626
 emergency removable, 511-513
 evaluation of treatment response, 474-475
 fixed partial prosthodontics in, 355-376
 following stage 1 surgery, 424
 following stage 2 surgery, 424-433
 functional involvements, 343-344
 margin locations of, 469-472
 maxillofacial prosthetics in, 435-454
 orthodontic considerations for, 479-496
 osseointegration and, 423-433
 partial, 399-415
 partial and complete, 399-421
 partially edentulous patient for, 622, 626-628
 periodontal considerations for, 457-475
 psychological implications of, 343-352
 purpose of, 457-458
 removable, 511-529
 removable spare, 525-529
 removal and recementation, 473-474
 requirements for, 423-424, 458
 sequence of therapy, 458-464, 495-496
 short-term removable, 511-513
 tooth preparation for, 465-467
 treatment plan and, 349
 versatility of, 511-529
 Pseudopocketing, 237, 240
 Pseudopognathism, 404, 405
 alleviation of, 407, 408
 Psychiatrists' attitudes toward elderly patients, 8
 Psychological concerns, with osseointegration, 647-650
 with provisional prostheses, 343-352
 Psychological trauma, facial evidence, 154
 Pulse irregularities, 55-56
 Pyridoxine deficiency, 121

- Radiographic analysis, 166-167
and osseointegration, 639-640
in edentulous maxilla, 712-713
recognition of failing implants with,
656, 658
- Radio-opaque markers, stents with, 559,
562-590
- Recalcitrant patient, 172-177
- Recommended Daily Allowances (RDA), for
elderly, 116
- Reconstructive surgery, implants used in,
502
- Refinishing porcelain laminates, 316
- Regenerative periodontics, 97-98
- Rehabilitation, prosthodontic, 277
- Removable bridgework, fixed, IMZ implants
with, 753
- Removable partial dentures, conventional
interim, 401-403
conversion of, 513, 516, 517-518
fixed prosthesis segment addition to, 523-
525
immediate interim, 403-408, 513, 514-
515
provisional, 399-401
transitional, 408-415
- Removable prosthesis, Integral, abutment
for, 795-800
- Removable provisional prostheses, diagnos-
tic, 516, 518-520
fixed partial denture conversion to, 520-
523
spare, 525-529
versatility of, 511-529
- Removable-fixed combination reconstruc-
tion, provisional prosthodontic appli-
cances in, 379-397
thread-in abutments for, 876-877
- Reserve capacity, diminished, 109-110
- Resin bonding, 290
- Resins, acrylic. See *Acrylic resin*.
composite, 291-292
- Restoration, overhanging, periodontal dis-
ease complications of, 86-87
- Restorative dentistry, periodontal disease
due to, 457
See also *Osseointegrated implants; Provi-
sional restorations*.
- Restorative materials, 287-293
biologic characteristics, 287
changing trends, 287-293
composite resins, 291-292
dentin bonding agents, 289
esthetic dentistry, 287-293
glass ionomer cements, 290
interdisciplinary approach, 287
microleakage and adhesion, 288
polyacrylic acid systems, 289-290
tooth discolorations, 324
- Restorative predictability, implant predicta-
bility versus, 702-703
- Retained roots, orthodontic therapy, 249-
253
- Retained teeth, during osseointegration sur-
gery, 706-707, 713, 715, 716
- Retentive arms, 392
- Retraction cords, 469
- Riboflavin, deficiency of, 119, 121
dietary needs of elderly, 119
- Ridge augmentation, 228-234
papillary reconstruction, 230-234
provisional restoration, 228-229
- Root cementum, changes with age, 92
- Root surface caries, 83
association with periodontal disease, 36
trends in aging population, 35
- Roots, extraction of, 249
fixed bridge fabrication and, 249
flap techniques and, 270-274
proximity of, 462
resorption of, 492
subgingival planing of, 270-271
- Rubber dams in bleaching, 328-330
- Saddle-type pontic, 473
- Safety glasses, 333
- Saliva, diminished flow, caries and, 83
qualitative changes of, 69
quantitative changes of, 76-77, 88
See also *Xerostomia*.
- Salivary function, effect on nutritional sta-
tus, 113
- Sandwich, wax, 361
- Sandwich bonding technique, 290
- Sanitary pontic, 473
- Sapphire crystal appliances, 191-192
- Sapphire dental implants, results of, 541
- Sasouni analysis of edentulous patient, 166
- Scaling, 267, 270
- Scurvy, 11, 121
- S.D. Ball overdenture attachment, 808-819
- Sealants in bleaching, 332
- Second premolar replacement, 492
- Sensory changes with age, 110-111
abrupt, 25
adjustments, 24-25
extent of, 23
See also *Chemosensory changes; Hearing
changes; Tactile sense changes; Vision
changes*.
- Serum albumin, 123
- Short clinical crowns, 237, 240, 466
- "Short flange" denture, 351
- Shortness of breath, 54, 55
- Short-term removable provisional
prostheses, 380, 511-513
- Shrinkage, gingival, 267
- Sinus, penetration of, 650-651
- Skin grafting, maxillary vestibuloplasty with,
501-502

- Skin irregularities, 56
- Small teeth in large arch, 259-261
- Smear layer removal, 289-290
- Smell, sense of. See *Chemosensory changes*.
- Smile, analysis of, 134, 280
- computer-assisted evaluation of, 136
- examination of, 133-137
- patient self-examination of, 133-135
- problems with, 142
- Smile exercises, 139-144
- face in repose, 140
- isotonic and isometric, 140-144
- for thin lips, 142
- thirty-day plan, 142-144
- Smile line, age effects on, 161-162
- anterior esthetics and, 157-164
- fixed partial prosthodontics and, 369, 371
- lateral view of, 163, 164
- of teenager, 161
- Sodium perborate, 332
- Soft tissue. See *Tissue*.
- Soft wax technique, 359-360, 361-363
- Special children, 179-181
- Speech clarity, anterior tooth positions and, 371-373
- osseointegration complicating, 654, 657
- restoration of, 351-352
- Splint, anterior fixed, 388
- Splinting, IMZ implant system, to natural dentition, 776-779
- Stain removal, 322
- Stainless steel bands, 364
- Staple, mandibular, 502-504
- Stents, acrylic tray construction for, 499-500
- and major oral maxillofacial surgery, 497-508
- for mandibular staple bone plate, 503
- placement and securing of, 500-501
- plastic, 501-502
- with radio-opaque markers, 559, 562-590
- Sterile disciplined surgery, 646-647
- Stomatitis, aphthous, 39
- Stones, bleaching, 332
- Stress. See *Reserve capacity, diminished*.
- Strips and disks, 312
- Sucking response of infant, impression procedures and, 437
- Sulcus, cement within, 473
- Supportive impression, 384-385
- Surface texture of restorations, 313
- Surgery, conventional interim removable partial dentures following, 401, 402
- dental implantation. See *Osseointegrated implants; Osseointegration*.
- electrosurgery, 468
- major oral maxillofacial, surgical stents and, 497-508
- previous, 52
- provisional maxillofacial prosthetics following, 446-454
- provisional prosthodontic treatment following, 424-433
- reconstructive, 502
- second-stage. See *Osseointegration, second-stage procedure*.
- sterile disciplined, 646-647
- technique, implants and, 551
- See also *Oral surgery*.
- Surgical stents. See *Stents*.
- Surgical templates, 628-633
- Suturing flaps, 241, 243
- Swedish method of osseointegration, 165, 505-506
- See also *Brånemark implant*.
- Swelling, in ankles, 54
- Systems review, 53-57
- distinguished from medical history, 53
- Tachycardia, 55-56
- Tactile sense changes, 29-30
- Taste sense. See *Chemosensory changes*.
- Team care, osseointegration and, 635-637
- Technician, laboratory, 281, 283
- Teenager, smile line of, 161
- Teeth, arch size discrepancy, 259-261
- color and texture, 177-179
- composition, 159-160
- discolorations, 392-394
- male versus female, 159-160
- multirrooted, 466
- natural, effect of retention, 34-35
- effect of socioeconomic factors on retention, 35
- IMZ implant system splinting to, 776-779
- mean numbers decayed and filled (1960-1986), 35
- prevalence of edentulism (1957-1986), 34
- pediatric patient, 177-179
- periodontally compromised, osseointegrated implants and, 848, 851, 852-854
- positioning guidelines, 166
- preparation for provisional restoration, 465-467
- retained, during osseointegration surgery, 706-707, 713, 715, 716
- ridge flatness, 249, 252
- single, esthetics of replacement, 829, 831
- IMZ implant replacement of, 741-742
- size and texture, 179
- spacing between, 177
- tilted, 461
- Temperature control in bleaching, 331-332
- Templates, maxillary, anterior displacement of, 655-656, 659-660
- surgical, 628-633
- Temporary restorations. See *Provisional restorations*.

- Temporomandibular joint dysfunction, osseointegrated implants and, 834
- Tests of restorative materials, 288
- Tetracycline-induced discolorations, 337-338
- Therapeutic index (TI), defined, 6^o
- Thermocatalytic bleaching, 333-335
agents, 333-334
safety features, 333-335
- Thiamine, deficiency of, 119, 121
dietary needs in elderly, 119
- Thin lips, smile exercises, 142
- Third party carrier coverage, dental implants and, 903-907
- Thirty-day plan for smile exercises, 142-144
- Thread-in abutments, for fixed/detachable
prosthetics and overdentures, 876-877
for fixed prosthetics, 875-876
indications for, 873
- Thyroid disorders, 345
- Tissue, conditioning, 350, 417, 419
in edentulous patient, 169
healing, 464
maturation, 464
protectants, 328
regeneration of, 551
relief wax, 300
- Tissue modifications, of surgical techniques
for osseointegration, 665-681
- Tissue-integrated prosthesis. See *Osseointegrated implants*.
- Titanium abutments, 170
- Titanium implantation, computed tomography following, 590, 592-594
- Titanium screws, hydroxylapatite-coated cylinders and, 887-889
See also *Hydroxylapatite-coated dental implants*.
- TMJ dysfunction, osseointegrated implants and, 834
- Tobacco, association with oral cancer, 39-40
- Tongue, phonetics and, osseointegrated implants and, 832-833
- Tongue biting, osseointegrated implants and, 833-834
- Tooth. See *Teeth*.
- Toothbrush. See *Oral hygiene*.
- Totally edentulous patient, 166-167
phonation restoration, 351-352
provisional prosthodontic appliances for, 620-622, 623-626
stents in, with radio-opaque markers, 564-574, 575, 576
See also *Edentulism*.
- Toxic dose, alteration with age, 69
visual manifestations, 69-70
- Trachea, position of, 57
- Training period, for provisional prostheses, 351
- Transitional prostheses. See *Provisional restorations*.
- Trauma, and provisional prosthetics, 445-446, 493
- Trays, acrylic, for stent, 499-500
impression, for infants, 437
- Treatment complete dentures, 415-419
- Treatment coordinator, 279-281
- Treatment plan, 702
comprehensive, 399
diagnoses and, 873
for hydroxylapatite-coated implants, 887
for IMZ implant system, 750-753
prosthodontic, for osseointegrated implants, 604-614
- Treatment response, evaluation of, 474-475
- Treatment restorations. See *Provisional restorations*.
- Trigeminal nerve, 28
- Tube and screw attachment, prefabricated, for IMZ implant system, 776
- Tubercle, genial, 499-501
- Turnes tooth, 336
- Vaccine, antihepatitis, 89
- Vacuum-formed matrix, 360, 363-364
- Veneers, 303-306
direct and indirect, 303-304
See also *Composite resins*; *Etched porcelain laminates*.
- Vestibuloplasty, maxillary, 501-502
- Veterans Administration, 15
- Vision changes, adjustments to, 26-27
characteristics of, 25-26
diet and, 111
loss, 3
- Vital signs, monitoring of, 55-56
- Vital teeth, thermocatalytic bleaching, 333-335
- Vitamin A, dietary needs of elderly and, 118
dietary sources, 118
- Vitamin B, deficiency of, 121
- Vitamin C, deficiency of, 118, 121
dietary needs of elderly and, 118
dietary sources of, 118
limited by income, 111
- Vitamin D, deficiency of, 121
- Walking bleach technique, 332, 337
- Water, dietary needs of elderly, 117
- Wax, separating filament, 296, 300
soft, 359-360, 361-363
infant impression trays and, 437
spacers, 301
tissue relief, 300
- Waxed floss in bleaching, 328
- Waxing sleeve, prefabricated, 774-775
- Weight gain, 110

- Werner's syndrome, 20
Wet polishing, 310-311
Wheelchair accessibility, 44, 46
Widman procedure, 96, 97, 106
Withdrawal of elderly from medical care, 8,
9
Wrought clasp arms, 379, 380, 389-390
- Xerostomia, 346
clinical complications and treatment of,
78-79
- etiology of, 75-77
late-onset dental caries and, 35
misconceived as normal, 68
as side effect of medication, 39, 68-69,
113
and susceptibility to candidiasis, 39
See also *Saliva*.
- Zephyr-gold bands, 364, 366, 367-369
Zest attachment for Integral implant, 804-
805